

NIBE AMS 10-6

Issued to

NIBE AB

Hannabadsvägen 5, 285 21 Markaryd, Sweden

manufacturing sites

Markaryd, Sweden; Białystok, Poland; Bangkok, Thailand; Helsingør, Denmark.

Product description

Product, type: Outdoor Air/Water heat pump

Subtype: NIBE AMS 10-6

Models: NIBE AMS 10-6 + HK200S-6, NIBE AMS 10-6 + HBS05-6,
NIBE AMS 10-6 + BA-SVM 10-200/6, AMS 10-6+SHB10-6,
AMS10-6 + SHB20-6 and AMS10-6 + BA-SVM20-200/6.
(HK200S and BA-SVM models with certified DHW performance)

Testing basis and miscellaneous

The products have been tested in accordance with EN 14511:2018, EN 16147:2017, EN 14825:2018, EN 12102:2017 and KEYMARK Certification Scheme for Heat Pumps (2023). Other terms and conditions are set out in RISE Certification rules for Heat Pump KEYMARK Scheme, SPCR 404.

Mark of conformity and right of use

This certificate entitles the holder to use the mark of conformity shown below in conjunction with the specified registration number.



012-SC0603-18

Validity

This certificate is valid until not later than 2028-09-19. To check the validity of this certificate, please visit www.ri.se. For detailed information about this product please visit the [Heat Pump KEYMARK database](#). This edition of the certificate replaces previous editions.



Stefan Coric

Certificate No. 012-SC0603-18 | issue 6 | 2023-09-19

RISE Research Institutes of Sweden AB | Certification

Box 857, SE-50115 Borås, Sweden

☎ +46 10 516 50 00 | certifiering@ri.se | www.ri.se

1185125

This document is the property of RISE and may not be reproduced other than in full, except with the prior written approval by RISE

Białystok 12.06.2024

Nibe-Biawar Sp. z o.o.

Al. Jana Pawła II 57

15-703 Białystok

OŚWIADCZENIE

Oświadczamy, iż pompa ciepła składająca się z jednostki zewnętrznej AMS 10-6 i jednostki wewnętrznej HBS20-6 posiada takie same parametry pracy co AMS 10-6 + HBS05-6. Podstawowa różnica polega na kompatybilności z czynnikami chłodniczymi jednostek wewnętrznych HBS:

- Jednostka HBS20-6 posiada możliwość współpracy z czynnikami R32 i R410.
- Jednostka HB05-6 posiada możliwość współpracy z czynnikiem R410.

Z poważaniem


CZŁONEK ZARZĄDU
DYREKTOR TECHNICZNY

Roman Chomezyk

